

Science Meeting-2024-04-21

Date

21 Apr 2024 - 2:30pm

Meeting started at 2:35 pm

Remote Meeting Link

No remote meeting link

Attendees

[Kobin Caddick](#) Kobin Caddick

[Mark McMillan](#)

Aiden
Margie Caddick

[Max Locke](#) Max Locke

[Russell Crow](#) Russell Crow

Shane

Volunteer opportunities

Roundtable updates on committee projects

Fusor: Aiden: Currently coding so they can run remotely. High voltage power supply was showing a fault.

Committee fusor: Installed a new electrode, need to do another vacuum leak down test. Less than 2 weeks away from turning on the fusor.

Staubli robot arms: No updates since last meeting.

Fume hood: Board approved increased funding from \$15k to \$19k to install full stainless steel ductwork with a new roof penetration. Work should begin as soon as the ductwork arrives.

Analog Thing: No new updates.

Eyewash stations: need to check levels today.

Rocket SIG: ESP32 module is ready to hack some more code.

Electroplating: No updates.

Classes:

Soap making - Margie

Electroplating: John is testing electroplating: working on class materials

Mushroom growing - We received the 1lb grow bags. I made some media grow bags; need to order syringe

Kevin - AI basics: will be on [Learn.dallasmakerspace.org](https://learn.dallasmakerspace.org) Need to get help from digital media.

Russell: radioactive class: will roll that in with the Fusion class in the future.

Financial report:

Balance: \$unknown

Discussion and voting on current issues

Calendar events: none upcoming

Discussed Items

| Item | Who | Notes | Vote For | Vote Against | Vote Abstain |
|------|-----|-------|----------|--------------|--------------|
| | | | | | |
| | | | | | |

Action items

- ☐ [Kobin Caddick](#) coordinate with City of Carrollton and contractors to get the roof mounted fan and ductwork installed

Meeting adjourned at 3:06 pm